


I/O Transfer


Transfer Terminal Block

MIL connection | Independent light display | High integration





Product Information.




- Product brand : **ENMG 恩盟**
- Product name : EXTB light-indicating junction terminal block
- Rated voltage : 125VAC / 30VDC
- Rated current : 1A
- Dielectric withstand voltage : 500VAC 50/60Hz Time 1min
- Insulation resistance : 100MΩ @500VDC
- Mounting method : 35mm DIN rail mounting (optional screw)
- Terminal specifications :
 - Screw terminal:
 - Terminal M2.5 Spacing 5.0mm
 - Rated capacity 10A 300V
 - Applicable wire diameter 22-12AWG
 - Torque 0.4Nm Wire stripping length 6-7mm
 - Spring terminal:
 - Spacing 5.0mm Rated capacity 15A 300V
 - Applicable wire diameter 22-16AWG (1.5mm²)
 - Wire stripping length 8-9mm
- Ambient humidity : 45%-85%RH
- Ambient temperature : -10°C ~ 50°C No condensation, no icing

Select Specifications.


Model Description

The design of product models and ordering codes is intended to cover all possible specifications of this series of products, and they cannot be combined arbitrarily. If you have any questions during the first selection, please contact the technical service engineers for confirmation.



Selection Table



*Unit: mm±0.5.The dimensions are measured manually,so there may be deviations. Please refer to the actual product.





Channel	Upper machine position type	Model		L×W×H
		Screw terminal	Spring terminal	
20 channels	NPN	EXTB-C20NS-L	EXTB-C20NM-L	59×87×52
	PNP	EXTB-C20PS-L	EXTB-C20PM-L	
40 channels	NPN	EXTB-C40NS-L	EXTB-C40NM-L	109×87×52
	PNP	EXTB-C40PS-L	EXTB-C40PM-L	

Internal Schematic Diagram.


NPN COM+ Upper Machine Position Common Positive



PNP COM- Upper Machine Position Common Negative



Appearance Display.





Started in 2012, exploring the frontier, leading innovation, self-transformation, the world of ideas.

始于2012年，探索前沿、创新引领、自我蜕变、理念世界。

ENMG INTELLIGENT TECHNOLOGY

恩爵ENMG智能科技

Zhejiang ENMG Intelligent Technology Co., Ltd.

浙江恩爵智能科技有限公司

Wenzhou Yuanzhang Electric Co., Ltd.

温州元璋电气有限公司

公司地址 Address：浙江省乐清市柳市镇柳江路3788号


联系方式 Telephones：400-996-2708

官方网站 Website：www.enjue.cc

迪威模型 3D Model：www.3dwhere.com/user/135269



微信公众号
WeChat Public



微信客服
WeChat Clientele Services

入驻平台 ENTRY PLATFORM

在线搜索“恩爵旗舰店”，线上下单实惠方便！

Search for “ENMG Flagship Store” online, ordering online is affordable and convenient !



天猫 Tmall



淘宝 Taobao




1688



京东 JD



拼多多 PDD



抖音 TikTok



速卖通 AliExpress