

Manual Test



Panel Relay **RXM**

Precise | 8 pins 10A / 14 pins 5A | Multiple base



Precise Structure

Sensitive / Stable / Durable



Electrical life:

100000 Times

Mechanical life:

10000000 Times

Manual Test Key.

Testing is possible without tools

1. Locking test




2. Instant test



Instantly change the contact state to achieve the purpose of testing the circuit state.

Not
activated



Action



Multiple Bases.

Standard DIN35mm mounting

1.Plug-in base **Tool-free**

2.Cage-type base

3.Fence-type base

Visual Window.

Indicator window and indicator light for observing the working status of the relay
Manual test key, manually changing the contact state



OEM / ODM
Customization

Multiple
Standards



*As per label. Certification Statement Statement




Product Information.

■ Product brand :	ENMG 恩霸	■ Rated voltage :	DC: 12V、24V、48V、100-110V AC: 24V、110V、120V、220V、220-240V
■ Product name :	RXM high-power relay	■ Contact resistance :	< 50mΩ (Initial value)
■ Product functions :	Light/Test key	■ Start-up time :	< 15ms
■ Product functions :	8 pins / 2NO/2NC 14 pins / 4NO/4NC	■ Release time :	< 10ms
■ Switching capacity :	10A DC30V / AC250V 5A DC30V / AC250V	■ Ambient temperature :	-40℃ ~ +70℃ (No icing)
■ Contact capacity :	10A DC30V / AC250V 5A DC30V / AC250V	■ Ambient humidity :	5%RH ~ 85%RH (No condensation)
■ Power consumption :	DC≈0.53W, AC≈0.9VA (Each circuit)		

Select Specifications.

Model Description

The design of product models and ordering codes is intended to cover all possible specifications of this series of products, and they cannot be combined arbitrarily. If you have any questions during the first selection, please contact the technical service engineers for confirmation



Selection Table

Relay Selection

Function type	Contact form	Coil voltage	Model
Test key/Light	2NO/2NC 10A	DC24V	RXM2AB1D24
		AC220V	RXM2AB1A22
	4NO/4NC 5A	DC24V	RXM4AB1D24
		AC220V	RXM4AB1A22

Base Selection

Relay model	Base model
RXM2AB1D24 RXM2AB1A22	Plug-in base RXZE08P
	Cage-type base RXZE2M114M
	Fence-type base G-PYF08A
RXM4AB1D24 RXM4AB1A22	Plug-in base RXZE14P
	Cage-type base RXZE2M114M
	Fence-type base G-PYF14A

Overall Dimension


*Unit: mm±0.5.The dimensions are measured manually,so there may be deviations. Please refer to the actual product.




Overall Dimension

*Unit: mm±0.5.The dimensions are measured manually,so there may be deviations. Please refer to the actual product.


Plug-in base kit 4NO/4NC



Cage-type base kit 4NO/4NC



Fence-type base kit 4NO/4NC



Internal Schematic Diagram.

2NO/2NC

RXM2AB1D24 RXM2AB1A22



4NO/4NC

RXM4AB1D24 RXM4AB1A22



Appearance Display.





Started in 2012, exploring the frontier, leading innovation, self-transformation, the world of ideas.

始于2012年，探索前沿、创新引领、自我蜕变、理念世界。

ENMG INTELLIGENT TECHNOLOGY

恩爵ENMG智能科技

Zhejiang ENMG Intelligent Technology Co., Ltd.

浙江恩爵智能科技有限公司

Wenzhou Yuanzhang Electric Co., Ltd.

温州元璋电气有限公司

公司地址 Address：浙江省乐清市柳市镇柳江路3788号


联系方式 Telephones：400-996-2708

官方网站 Website：www.enjue.cc

迪威模型 3D Model：www.3dwhere.com/user/135269



微信公众号
WeChat Public



微信客服
WeChat Clientele Services

入驻平台 ENTRY PLATFORM

在线搜索“恩爵旗舰店”，线上下单实惠方便！

Search for “ENMG Flagship Store” online, ordering online is affordable and convenient !



天猫 Tmall



淘宝 Taobao




1688



京东 JD



拼多多 PDD



抖音 TikTok



速卖通 AliExpress